



SPECIFICATIONS

Waterhog™ Masterpiece Select

Product Number 265

Surface

Fiber Type:	Solution-dyed Guardian 10 BCF polypropylene
Weight:	28ozs./sy.
Nub Height:	¼"
Gauge:	1/10"
Construction:	Tufted loop pile

Backing

Primary:	Woven Polypropylene
Secondary:	100% SBR Rubber (20% Recycled Content)
Thickness:	.110" - Border .190: - Nubs
Durometer:	60
Tensil:	1400 PSI

Testing

- Passes Flammability Standard DOC-FF-1-70
- Anti-Static



SPECIFICATIONS

Features and Benefits

- 100% Guardian 10 BCF Polypropylene has superior stain resistance excellent durability and outstanding colorfastness.
- Unique ridged construction effectively traps dirt and moisture beneath shoe level.
- Exclusive rubber – reinforced face nubs prevent pile from crushing in high traffic areas, maintaining high performance and extending product life.
- Premium 28 – ounce anti-static polypropylene fiber system dries quickly and won't fade or rot. When wet, the rubber – reinforced surface allows water to be wicked to the bottom of the mat, below foot traffic providing a slip resistant surface.
- Green Friendly rubber backing has 20% recycled rubber content.
- Available with cleated backing for placement on carpet or smooth backing for placement on hard surfaces.
- Exclusive “water dam” border keeps dirt and water in the mat and off the floor, minimizing slip hazards and floor damage.
- For Indoor use only.
- Certified slip-resistant by the National Floor Safety Institute.
- Recommended use indoor entrance areas.



SPECIFICATIONS